

**WASHINGTON STATE DEPARTMENT OF HEALTH
OFFICE OF FOOD SAFETY AND SHELLFISH PROGRAMS**

ANNUAL GROWING AREA REVIEW

PREPARED BY: Donald Melvin, Environmental Specialist

AREA: East San Juan

YEAR ENDING: December 31, 2005

CLASSIFICATION: Approved (inactive)

ACTIVITIES IN THE GROWING AREA IN 2005:

East San Juan growing area was placed in inactive status at the end of 2001. Samples were collected from each station in the growing area 2 times during the year using the systematic random sampling method.

ANALYTICAL RESULTS OF WATER SAMPLES:

Table #1 summarizes the results of all samples collected from the area. This summary shows that all stations in the area pass the NSSP water quality standard.

CHANGE IN ACTUAL POLLUTION SOURCES THAT IMPACT THE GROWING AREA:

We currently have no information indicating that the area has new sources of pollution.

CLASSIFICATION STATUS:

- ☒ Well within the classification standards
- ☐ Meets standards but some concerns
- ☐ Meets standards but threatened with a downgrade in classification
- ☐ Fails to meet classification standards

REMARKS AND RECOMMENDATIONS:

Table #1 shows that all stations meet the NSSP water quality standards for approved classification and the area is correctly classified.

TABLE 1

SUMMARY OF MARINE WATER DATA (SRS)

Growing Area: **EAST SAN JUAN**

Classification: **Approved,Unclassified**

From **02/24/1998** To **09/27/2005**

FECAL COLIFORM ORGANISMS/100 ML

Station Number	Classification	Number of Samples	Range	Geometric Mean	Est. 90th Percentile	Meets Std.
59	Approved	31	1.7 - 4.5	1.9	2.0	Yes
60	Approved	31	1.7 - 2.0	1.7	1.0	Yes
61	Approved	31	1.7 - 130.0	2.9	16.0	Yes
62	Approved	30	1.7 - 7.8	1.8	2.0	Yes
63	Approved	29	1.7 - 7.8	2.0	3.0	*N/A
64	Approved	30	1.7 - 17.0	2.6	7.0	Yes
65	Approved	31	1.7 - 11.0	1.8	3.0	Yes
66	Approved	31	1.7 - 4.0	1.7	2.0	Yes
67	Approved	30	1.7 - 2.0	1.7	1.0	Yes
68	Approved	31	1.7 - 2.0	1.7	1.0	Yes
69	Unclassified	25	1.7 - 2.0	1.7	1.0	*N/A
70	Unclassified	22	1.7 - 4.5	1.8	2.0	*N/A

All tides information is presented

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms/100 ml and an estimate of the 90th percentile not greater than 43 organisms/100 ml. The above table shows bacteriological results in relation to program standards.

* N/A - SRS criteria require a minimum of 30 samples from each station. *

